LIST OF REFERENCES

1. Incent HV.C. Lee Yie. Chein, controlled drug delivery, fundamental and application (Robinson and Vincent H.C. Lee ed), second edition, Marcell Dekker, Inc, New York, 4.
2. Colombo P., Bettini R., Santi P., Peppas N.A. (2000) Swellable matrices for controlled drug delivery; Gel layer behavior, mechanism and optimal performance, Pharm. Sci. Techno. Today, 3,198-204.
3. M. R. Prausnitz. S. Mitragotri. R. Langer. (2004) Current status and future potential of transdermal drug delivery, Nature Reviews Drug discovery 3(2) 115-124.
4. Daleshwari Lahora, Vandana Chaudhari, Saurabh Kumar Shah, Gaurav Swami, Giridhari Chaudhari, Shubhini A. Saraf.(2011) Terpenes: natural skin penetration enhancers in transdermal drug delivery. Ind J Pharm Res Dev. (2-12): 39-45.
5. Yerram Setty, K.M., Rachakonda, V.K. Neely, B.J. Madihally, S.V., Gasem, K.A.M.(2010) Effect of different enhancers on the transdermal permeation of insulin analog. Int J Pharm. Oct;(1-2):83-92.
6. BytovskaJ., Vavrova K.,Kiselev M.A.,Lessieur, P.,Wartewig, S., Neubert.(2009) The effect of transdermal permeation enhancers on thermotropic phase behavior of a stratum corneum lipid model colloids and surfaces a: physicochemical and engineering aspects. Int J Pharm. Nov; 351 (1-3); 30-37.
7. Pedrani, M.,Drug dev, Ind. Pharm, 4(5), 1994, 313.
8. Paranjoty. K. L. : Pharmag 7(4), 1995, 57.
9. Charro B. D., Guy R. H. (2001) “Transdermal Drug Delivery “ in “Drug Delivery & targeting “ Hillery A. M., Lloyd A.W., Swarbrilk J. edition I., Published by Taylor & Francis. N. Y. US. 216-217.
10. Peeush Singhal, Ritu Singhal, Vipin Kumar, Kapil K. Goel, Ashwani K Jangra, Rajendra Yadav,(2012) Novel technique to enhance therapeutic efficacy and safety of drugs. Asian J Pharma Res.2(1): 106-125.
11. Limpongsa E., Umprayn K.(2008) Preparation and evaluation of Diltiazem HCL diffusion controlled transdermal delivery system, AAPS Pharm Sci. Tech.

12. Verma P.R., Lyer S.S.(2000) Drug Dev. Ind. Pharm. 26(4): 471-476.
13. Mohamed A., Yasmin S., Asgar A.(2003) Matrix type transdermal drug delivery system of metaprolol tartarate-In vitro characterization Acta Pharma. 53:119-125.
14. Narasimha M.S.,Hamsa V. (1996) Comparative release studies of transdermal films of terbutaline sulphate across various diffusion barriers. Ind J Pharm Sci. (4):150-151.
15. Y. Indira Muzib, Lavanya T.(2012) Design and evaluation of stavudine transdermal patches using hydrophilic and hydrophobic polymers J Pharma Res 5(2): 1176-1182.
16. Sadhana P.G. Jain S. K.(2005) Effective and controlled transdermal delivery of metaprolol tartarate Ind J Pharm Sci.67(3):346-350.
17. Shivaraj, A., Selvam, R. P., Mani, T. T. and Sivakumar, T. (2010). Design and evaluation of transdermal drug delivery of ketotifen fumarate. Int. J. Pharm. Biomed. Res, 1(2), 42-47.
18. Jamakandi, V. G., Mulla, J. S., Vinay, B. L. and Shivakumar, H. N. (2009). Formulation, characterization, and evaluation of matrix type transdermal patches of a model antihypertensive drug. Asian Journal of Pharmaceutics, 3(1), 59.
19. Darwhekar, G., Jain, D. K., & Patidar, V. K. (2011). Formulation and Evaluation of Transdermal Drug Delivery System of Clopidogrel Bisulfate. Asian Journal of Pharmacy and Life Science ISSN, 2231, 4423.
20. Anuradha, C. M., Ahad, H. A., Sreekanth, K., Abhilash, A., Prabhuraj, K. J., & Swapna, K.(2013) Pharma Research Library International Journal of Medicine and Pharmaceutical Research, Vol. 1 (1): 127-134.
21. Srikanth, A. (2005). Permeation studies of few antihypertensive drug for transdermal delivery.International Journal for Pharmaceutical Research Scholars,Vol.2,71-82.
22. Verma, M., Gupta, P. K., Varsha, B. P., & Purohit, A. P. (2007). Development of transdermal drug dosage formulation for the anti-rheumatic ayurvedic medicinal plants. Ancient Sci Life, 11, 66-9.
23. Panchaxari, D. M., Pampana, S., Pal, T., Devabhaktuni, B., & Aravapalli, A. K. (2013). Design and characterization of diclofenac diethylamine transdermal patch using silicone and acrylic adhesives combination. DARU Journal of Pharmaceutical Sciences, 21(1), 1-14.

24. Nautiyal, U., & Singh, D.(2013). Formulation and Characterization of Transdermal Patches of Losartan.Indian Journal of Pharmaceutical and Biological Research.Vol.1(1),43-54.
25. Kanikkannan, N., Andega, S., Burton, S., Babu, R. J., & Singh, M. (2004). Formulation and in vitro evaluation of transdermal patches of melatonin. Drug development and industrial pharmacy, 30(2), 205-212.
26. Patel, N. A., Patel, N. J., & Patel, R. P. (2009). Design and evaluation of transdermal drug delivery system for curcumin as an anti-inflammatory drug.Drug development and industrial pharmacy, 35(2), 234-242.
27. Shinde, A. J., Garala, K. C., & More, H. N. (2008). Development and characterization of transdermal therapeutics system of tramadol hydrochloride.Asian Journal of Pharmaceutics, 2(4), 265.
28. Kear, C. L., Yang, J., Godwin, D. A., & Felton, L. A. (2008). Investigation into the mechanism by which cyclodextrins influence transdermal drug delivery.Drug development and industrial pharmacy, 34(7), 692-697.
29. Lewis, S., Pandey, S., & Udupa, N. (2006). Design and evaluation of matrix type and membrane controlled transdermal delivery systems of nicotine suitable for use in smoking cessation. Indian journal of pharmaceutical sciences, 68(2), 179.
30. Murthy, T. E. G. K., & Kishore, V. S. (2007). Effect of casting solvent and polymer on permeability of propranolol hydrochloride through membrane controlled transdermal drug delivery system. Indian Journal of Pharmaceutical Sciences, 69(5), 646.
31. Prasad Verma, P., & Chandak, A. (2009). Development of matrix controlled transdermal delivery systems of pentazocine: In vitro/in vivo performance.
32. Padula, C., Nicoli, S., Colombo, P., & Santi, P. (2007). Single-layer transdermal film containing lidocaine: modulation of drug release. European journal of pharmaceutics and biopharmaceutics, 66(3), 422-428.

33. Ammar, H. O., Ghorab, M., El-Nahhas, S. A., & Kamel, R. (2006). Design of a transdermal delivery system for aspirin as an antithrombotic drug. International journal of pharmaceutics, 327(1), 81-88.

34. Suedee, R., Bodhibukkana, C., Tangthong, N., Amnuaikit, C., Kaewnopparat, S., & Srichana, T. (2008). Development of a reservoir-type transdermal enantioselective-controlled delivery system for racemic propranolol using a molecularly imprinted polymer composite membrane. Journal of Controlled Release, 129(3), 170-178.

35. Garcia, M. T. J., de Oliveira, D. C., Braga, E. C. A., Thomazini, J. A., & Bentley, M. V. L. B. (2006). Transdermal delivery of ketoprofen: the influence of drug–dioleylphosphatidylcholine interactions. Pharmaceutical research, 23(8), 1776-1785.

36. McDaid, D. M., & Deasy, P. B. (1996). Formulation development of a transdermal drug delivery system for amlodipine base. International journal of pharmaceutics, 133(1), 71-83.

37. Mayorga, P., Puisieux, F., & Couarraze, G. (1996). Formulation study of a transdermal delivery system of primaquine. International journal of pharmaceutics, 132(1), 71-79.

38. Jain, G. K., Sharma, A. K., & Agrawal, S. S. (1996). Transdermal controlled administration of verapamil—enhancement of skin permeability. International journal of pharmaceutics, 130(2), 169-177.

39. Ruffolo Jr, R.R., and Feuerstein, G. Z. (1997). Pharmacology of carvedilol: rationale for use in hypertension, coronary artery disease and congestive heart failure. Cardiovascular drugs and therapy. 11(1), 247-256.s

40. Barhate S. D., Potdar M. B.(2011) Der Pharmacia Sinica, 2(2),:185-189.